



AUTOMOTIVE SERVICE EQUIPMENT

for Cars & LCVs

Elevate Your Workshop Experience

www.hexaequip.com

ABOUT US

The HEXA commitment to excellence is built upon a strategic global structure, uniting the world's best in design and production:

- **US Innovation Driven (Texas, USA)** : Hexa LLC serves as our design center. This US-based Engineering Office is the engine of our innovation, driving every product through cutting-edge design engineering and strategic management.
- **IN Quality Engineered (India)** : Our state-of-the-art operations facility in India ensures we maintain world-class quality standards while delivering cost-effective production.



Welcome to the World of Automotive Excellence

Hexa Automotive offers a comprehensive range of high-quality automotive service equipment designed for precision, durability, and efficiency, ensuring every repair and maintenance job is handled with ease and excellence.

Wheel / Tyre Service Equipment

3D Wheel Alignment System	03
Wheel Balancing System	06
Tyrechanger for ICE & EV.....	08
Nitrogen Filling Station.....	10

Lifting Equipment

Two Post Lifting Equipment.....	11
Four Post Lifting Equipment.....	14
Wheel Alignment Scissor Lift	15

Body Shop

Paint Booth.....	16
Dent Puller.....	17
Mig Mag Welder.....	17

Workshop Furniture

Tools Trolley.....	18
Workstation.....	20
Integrated Tools Cabinet.....	21

Tools & Other Equipment

Exhaust Extraction System.....	22
Air Compressor.....	24
Workshop equipment.....	25

PRO ALIGN 3D

3D Wheel Aligner C E

Stay Straight, Drive Ahead


ProAlign 3D – Wheel Alignment System

Experience unmatched precision with ProAlign 3D, the next-generation wheel alignment solution designed for modern workshops. Engineered with advanced 3D imaging technology, it ensures faster, more accurate alignments with minimal effort.

HD Camera

3D Image Processing Technology

HEXA



ProAlign 3D – Precision Made Easy

CUSTOMISE YOUR COLOUR : RED | BLUE | GREY

HEXA


Features

- **High-Definition Cameras** : Capture every angle with pinpoint accuracy.
- **User-Friendly Software** : Simple interface for quick operations.
- **Fast & Reliable Results**: Reduce downtime, boost productivity.
- **Durable Build**: Designed to withstand heavy workshop use.
- **Versatile Compatibility** : Works with a wide range of vehicles.


Technical Specification

Camber (F/R)	±15°00'(±00°02)
Caster	±28°00'(±00°05)
Kingpin Inclination	±25°00'(±00°05)
Toe(F/R)	±20°00'(±00°02)
Total Toe	±40°00'(±00°04)
Toe out on turn	±25°00'(±00°05)
Setback(F/R)	±25°00'(±02 mm)
Thrust Angle	±05°00'(±00°02)
Runout	±10°00'(±00°02)
Included angle	±40°00'(±00°05)
Track with difference	±300mm(±005mm)

Variable Height (Manual)



Universal Wheel Clamps



Engineered to fit any wheel between **12"-24"** rim diameter including alloys, steel rims and run flat tyres.

No Electronics on Wheels



Durable, easier to use & less maintenance
Accurate, faster & robust alignment process.

Accessories



Wheel Clamps – 4 Nos



Turn Tables – 2 Nos



PC & LED Monitor



Targets – 4 Nos



Wheel Stoppers – 2 Nos



Printer – 1 No.
(Optional)



Steering Lock – 1 No.



Brake Pedal Lock – 1 No.



Wheel Clamp Adaptor
(12"-26") – 16 Nos.
(Optional)


ProAlign 3D – Precision Made Easy

CUSTOMISE YOUR COLOUR : RED | BLUE | GREY

HEXA


Proalign 3D VH

Variable Height - suitable for Pit & Lift Applications



Proalign 3D PT

Fixed height - suitable for Pit applications



ProAlign 3D – Precision Made Easy

CUSTOMISE YOUR COLOUR : **RED** | **BLUE** | **GREY**

HEXA

SPECTRE DL 65

Wheel Balancer

Precision in Every Spin



Automatic – Digital Wheel Balancer for Cars & LCVs

Designed for OEM / Workshop this advanced wheel balancer delivers unmatched speed, accuracy, and convenience. Featuring split weight program, automatic distance and diameter input, a precision width laser, and a new spotter laser system, it ensures flawless weight placement and efficient operation every time.



Display :

Digital Display

Automatic Balancing : 6 Modes

Rim Dia : 10"-24"

Rim Width : 1.5"-20"

Max Wheel Weight : 65kg

Measuring Time : 8s

Balancing Speed : 200 r.p.m

Accuracy : $\pm 1\text{g}$ ($\pm 0.04\text{ oz}$)

Power : 0.20kW 110v (1ph)/ 220v (1/3ph)/380v(3ph)

STANDARD ACCESSORIES



Wheel
Hood



Quick
Lock Nut



Weight
Plier



Balancing
Cones



Laser
Pointer



LED
Indicator



Sticker
Weight
Remover

CUSTOMISE YOUR COLOUR : **RED** | **BLUE**

Stay in control with balanced wheels

Choose the wheel balancer trusted by tire professionals

HEXA

SPECTRE VD 65

Wheel Balancer



Precision in Every Spin

Automatic – Motorcycle Wheel Balancer

Designed for OEM / Workshop this advanced wheel balancer delivers unmatched speed, accuracy, and convenience. Featuring automatic distance and diameter input, a precision width laser, and a new spotter laser system, it ensures flawless weight placement and efficient operation every time.



LCD Display :

7" LCD monitor supports, 3D animation interface

Automatic Balancing : 9 Modes

Rim Dia : 10"-24"

Rim Width : 1.5"-20"

Max Wheel Weight : 65 kg | 143 lb

Measuring Time : 5 - 8s

Balancing Speed : 200 r.p.m

Accuracy : $\pm 1g (\pm 0.04 \text{ oz})$

Power : 0.20kW 110v (1ph)/ 220v (1/3ph)/380v(3ph)

STANDARD ACCESSORIES



Laser
Pointer



Wheel
Hood



Quick
Lock Nut




Weight
Plier



Balancing
Cones

OPTIONAL



LED
Indicator



Sticker
Weight
Remover

CUSTOMIZE YOUR COLOUR : RED | BLUE

Get the balance right – every time.

Choose the wheel balancer trusted by tire professionals.

HEXA

RIMBOSS HX 40

Tyrechanger

Compact | Powerful



Automatic - Motorcycle Tyre Changer

Engineered for professionals and enthusiasts alike, our Automatic Motorcycle Tyre Changer delivers dependable performance across a wide range of two-wheelers – from standard motorcycles to modern electric scooters – “It’s tough on tyres, easy on you!”



Type

Semi-Automatic

Large Rim Clamping

6" - 24" / 152 - 610 mm

Max Wheel Diameter

41" / 1040 mm

Max Wheel Width

10" / 254 mm

Working Air Pressure

7-8 Bar | 116-145 psi

Powerful Bead Breaker

2500 kg | 5500 lb

Power Requirements

220V 50 Hz 1Ph | 1.0 / 0.75 kW

Net Weight

170 kg | 374 lb

STANDARD ACCESSORIES



Inflator
Gun



FRL



Bike
Adaptor



Mounting
Head

OPTIONAL



Jaw
Protector



Lever
Head

CUSTOMIZE YOUR COLOUR : **RED** | **BLUE**

With features focused on efficiency, safety, and ease of use, our tyre changers are not just tools – they're long-term partners in your garage.

HEXA

RIMBOSS HX40 RFT

Tyrechanger

Compact | Powerful



Automatic - Tyrechanger with RFT Helper Arm

high-end, Fully Automatic Heavy Duty Tilt-Back Tire Changer with dual assisting helper arms for low profile, run flat tyre operations. Integrated Tyre Inflation system enables to inflate tyre when clamped to turn tables. Compatible for a wide range of Cars, Light Commercial vehicles. "It's tough on tyres, easy on you!"



Type

Fully Automatic

Inside Clamping

12" - 24"

Outside Clamping

10" - 21"

Max Wheel Diameter

14" / 1040 mm

Max Wheel Width

10" / 254 mm

Working Air Pressure

8 Bar | 145 psi

Powerful Bead Breaker

2500 kg | 5500 lb

Power Requirements

220V 50 Hz 3Ph

STANDARD ACCESSORIES



Inflator
Gun



FRL



Mounting
Head



Bike
Adaptor



Jaw
Protector



Lever
Head

OPTIONAL

CUSTOMISE YOUR COLOUR : **RED** | **BLUE**

With features focused on efficiency, safety, and ease of use, our tyre changers are not just tools — they're long-term partners in your garage.

HEXA

NITRO CHARGE

Air Inflator

Inflate Right



Nitro Charge – Nitrogen Air Inflator

Engineered to provide the proven benefits of high-purity nitrogen inflation alongside the convenience of a standard air inflator. The dual Inflation Mode allows easy switching between Normal Air and High-Purity Nitrogen inflation with a simple selector switch, giving you complete control and versatility for every vehicle



TECHNICAL SPECIFICATIONS

Display Type
Digital

Internal Tank Capacity
60 litres

N₂ Generation : 3500 litre /hr

Nitrogen Purity: 99.5%

Hose Length: 10m

Maximum Outlet Pressure
7Bar | 120psi

Powerful Bead Breaker
5500 lb | 2500 kg

Power Requirements
220V 50 Hz 1Ph

Net Weight : 120 kg

SPECIAL FEATURES



Digital
Display



Air<->Nitrogen
Selector Switch



Top-up
Auto
Inflation



Provision for
Additional
Hose

Pure Nitrogen. Pure Confidence

CUSTOMISE YOUR COLOUR : RED | BLUE

HEXA

TWINLIFT 5T CF

Two Post Lift

Solid. Durable. Effortless



The Ultimate 5 Ton Two-Post Lift (Clear Floor)

The Backbone of Every Service Workshop & Professional Garage !

Introducing the TWIN LIFT 5T, engineered to be the backbone of your workshop. Combining heavy-duty 5,000 kg (11,000 lb) capacity with sturdy, modern design, it delivers uncompromised safety and maximum efficiency for all vehicle servicing—from compact cars to LCVs.



Type

Electro - Hydraulic
Symmetric

Lifting Capacity

4000 kg | 9000 lb

Dimensions (LxBxH)

2800x3310x2700 mm

Drive Through

2550 mm | *2750 mm (Optional)*

Max Lifting Height

1800 mm

Lifting Time

< 50 sec


Power

400V 50Hz 3Ph (Standard)
220V 50 Hz 1Ph (Optional)

SPECIAL FEATURES



CE Certified
Power Pack



Telescopic
Arm



Automatic
Safety Locks



Drop-in
Adaptors
(Optional)



Door Protection
Rubber
(Optional)

CUSTOMISE YOUR COLOUR : **RED** | **BLUE** | **GREY**

Whether you're servicing, repairing, or showcasing—lift with confidence

HEXA

TWINLIFT 4T CF

Two Post Lift

Solid. Durable. Effortless



The Ultimate 4 Ton Two-Post Lift (Clear Floor)

The Backbone of Every Service Workshop & Professional Garage !

Introducing the TWIN LIFT 4T, engineered to be the backbone of your workshop. Combining heavy-duty 4,000 kg (9,000 lb) capacity with sturdy, modern design, it delivers uncompromised safety and maximum efficiency for all vehicle servicing—from compact cars to LCVs.



Type
Electro - Hydraulic
Symmetric

Lifting Capacity
4000 kg | 9000 lb

Dimensions (LxBxH)
2800x3310x2700 mm

Drive Through
2550 mm

Max Lifting Height
1800 mm


Lifting Time
< 50 sec

Power
400V 50Hz 3Ph (Standard)
220V 50Hz 1Ph (Optional)

SPECIAL FEATURES



CE Certified
Power Pack



Telescopic
Arm



Automatic
Safety Locks



Drop-in
Adaptors
(Optional)

CUSTOMISE YOUR COLOUR : **RED** | **BLUE** | **GREY**

Whether you're servicing, repairing, or showcasing—lift with confidence

HEXA

TWINLIFT 4T FP

Two Post Lift

Solid | Durable | Effortless



The Ultimate 4 Ton Two-Post Lift (Floor Plate)

The Backbone of Every Service Workshop & Professional Garage !

Introducing the TWIN LIFT 4T FP, engineered to be the backbone of your workshop. Combining heavy-duty 4,000 kg (9,000 lb) capacity with a robust, non-obstructive floor plate design, it delivers uncompromised safety and maximum, **restriction-free lifting height** for all vehicle servicing—from compact cars to LCVs.



Type

Electro - Hydraulic
Symmetric

Lifting Capacity

4000 kg | 9000 lb

Dimensions (LxBxH)

2750x3290x2700 mm

Drive Through

2616 mm

Max Lifting Height

1910 mm

Lifting Time

< 50 sec

Power

380V 50Hz 3Ph (Standard)
220V 50 Hz 1Ph (Optional)

SPECIAL FEATURES



CE Certified
Power Pack



Telescopic
Arm



Dual
Safety locks



Drop-in
Adaptors
(Optional)

CUSTOMISE YOUR COLOUR : **RED** | **BLUE** | **GREY**

Whether you're servicing, repairing, or showcasing—lift with confidence

HEXA

MAXI LIFT 4T

Four Post Lift

Built to Lift | Made to Last




The Ultimate Four Post Lift

Maxi Lift 4T – The Backbone of Every Service Workshop

Introducing the MaxiLift 4T, four post lifting equipment with capacity of lifting 4,000 kg (9,000 lb) synchronized with broad runways, and automatic safety locks. Designed without an overhead power cylinder beam, the cylinder is conveniently housed beneath the runway, keeping the area above clear.

The lift delivers smooth, level, and reliable performance—ideal for alignment, inspection, and general service work delivering effortless lifting for cars and light commercial vehicles.



Type
Electro - Hydraulic
Symmetric

Lifting Capacity
4000 kg | 9000 lb

Platform Length
4250 mm (167")

Max Lifting Height
1750 mm (69")

Height Limit
Switch: Available

Lifting Time
< 50 sec

Power
2.2KW 220/380V
3PH 50/60Hz

CUSTOMISE YOUR COLOUR : **RED** | **BLUE** | **GREY**

Whether you're servicing, repairing, or showcasing—lift with confidence

HEXA

ASCEND WASL 4T


Scissor Lift

Precision Elevated



ASCEND WASL 4T

Introducing the ASCEND WASL 4T, the ultimate solution for professional wheel alignment and general undercarriage service. Engineered for uncompromising stability and precision, this 4-ton capacity scissor lift is the foundation your modern service bay needs.



SPECIAL FEATURES

- Precision double sided safety teeth design
- Safety descending stop & alarm
- Safety valve for anti-explosion of hydraulic system
- Safety limit switch for lift height
- Abrasion resistant slip plates for Wheel alignment

Type
Electro - Hydraulic
Symmetric

Lifting Capacity
4000 kg | 9000 lb

Platform Length
4500 mm (177.2")

Max Lifting Height
1850 mm (73")

Safety
Pneumatic Lock

Power
380V 3PH 50/60Hz
(Standard)

CUSTOMISE YOUR COLOUR : **RED** | **BLUE** | **GREY**

Whether you're servicing, repairing, or showcasing—lift with confidence

HEXA

ULTRA CURE S

Paint Booth

Perfect Finish, Every Time



The Ultimate Paint Booth

Ultra Cure – Engineered for a Flawless Finish!

Designed to meet high production demands, this spray booth is easy to maintain and operate, making it an ideal solution for auto shops that prioritize both performance and efficiency. Whether you are running a high-volume operation or focusing on specialized, precision work, the ULTRA CURE series automotive paint booth offers the reliability and performance you need to succeed

SPECIFICATIONS

Airflow : 24.000 m³/h

Motor power : 7.5 kW

Air speed : 0,25 m/s

Thermal power : 180000
Kcal/h (200 kW)

Thermal type : Riello G20

Drying Temp : >70°C

Lights : 32 LEDs (800LUX)

Filter : Paint-Stop / EU3

Dimension : 6.9x4x3m

Panels : EPS Insulated

Power : 9kW 400V-50Hz




SPECIAL FEATURES :



Low Noise
<72db



High
Modularity



Double Glazing
Less Heat Loss



Excellent
Visibility
LED >100 LUX



Laminated
Glass
Enhanced
Safety

AVAILABLE MODELS

Ultra Cure Plus – Additional Extraction Motor

Ultra Cure WB – For Water based paint

Perfect Finish, Every Time

HEXA

Pro Pull

ProPull – Smart Dent Puller System

Designed for modern body shops, ProPull delivers consistent pulling power, fast heating cycles, and user-friendly controls — ensuring perfect panel restoration every time. Built with robust components and advanced electronics, it's your ultimate solution for efficient and professional body repair



Dent Puller

Restore Perfection in Every Pull

Pro Weld

ProWeld – High efficiency Welder

Designed for serious fabricators, auto body repair professionals, and high-demand industrial applications this machine delivers superior weld quality, incredible speed, and unmatched versatility.



Mig Mag Welder

Solid | Durable | Effortless

PROCART SERIES

Tools Trolley

Built to Organize | Made to Move



Procart 5D

- Heavy-Duty Steel Construction
- Corrosion-resistant finish
- Smooth Ball-Bearing Drawer Slides
- Ample Organized Storage Space
- Mobile and Maneuverable
- Non-Slip Drawer Liners
- Multi-Purpose Top Tray
- Sleek & Industrial Grade design
- Load-Bearing Capacity
(100 - 150 kg | 220 - 330 lb)
- Customization Options - Color & label

Procart 7D

- Robust Steel Construction
- Smooth Drawer Slides
- Versatile storage units
- Centralized locking System
- Heavy Duty Casters with locks
- Side handle for easy mobility
- Multi-Purpose Top Tray
- Load-Bearing Capacity
(100 - 150 kg | 220 - 330 lb)
- Customization Options - Color & label



CUSTOMIZE YOUR COLOUR : **RED** | **BLUE** | **BLACK**

HEXA

PROCART SERIES

Tools Trolley

Built to Organize | Made to Move



Work Bench Pro

Work Station

Where Ideas Take Shape

Premium Heavy-Duty Workbench

Engineered for professionals, this premium workbench combines strength, style, and smart functionality. A refined solution for discerning craftsmen, workshops, and premium garage setups.



Features

- **Robust steel frame** with aesthetic appeal
- **Non-Slip Platform** for precision tasks
- **Integrated pegboard** back panel with 30 hooks
- **Metal drawer** with effortless glide & storage
- **Dimension** : W x D x H: 1250 x 650 x 850mm
- **Exceptional load capacity** : 600 kg | 1320 lb

Customize Your Workstation

- **Model A (WS600)** - Basic Workstation
- **Model B (WS600P)** - Model A + Pegboard
- **Model C (WS600PD)** - Model B + 2 Storage Organizer

CUSTOMIZE YOUR COLOUR : **RED** | **BLUE**

HEXA

Titan Pro Series

Workshop Furniture

Built to Organize



1	Code	HX WF01
	Dimension	680x281x350mm
	Net Wt.	10kg

2	Code	HX WF02
	Dimension	600X460X2000mm
	Net Wt.	52kg

3	Code	HX WF03
	Dimension	680x460x910mm
	Net Wt.	28kg

4	Code	HX WF04
	Dimension	680x460x910mm
	Net Wt.	48kg

5	Code	HX WF05
	Dimension	680x460x910mm
	Net Wt.	50kg

6	Code	HX WF06
	Dimension	1050x600x28mm
	Net Wt.	7kg

7	Code	HX WF07
	Dimension	1050x600x28mm
	Net Wt.	50kg

8	Code	HX WF08
	Dimension	1420x50x30
	Net Wt.	5kg

9	Code	HX WF09
	Dimension	1360x465x35mm
	Net Wt.	9kg

10	Code	HX WF010
	Dimension	2040x470x35mm
	Net Wt.	13kg

11	Code	HX WF011
	Dimension	680x460x910mm
	Net Wt.	35kg

12	Code	HX WF012
	Dimension	680x460x910mm
	Net Wt.	48kg

13	Code	HX WF013
	Dimension	915x460x2000mm
	Net Wt.	75kg

CUSTOMIZE YOUR COLOUR : **RED** | **BLUE** | **BLACK**



HEXA

Exhaust Extraction System

Designed specifically for motorcycles & cars, our exhaust hose system ensures the safe and efficient removal of hazardous exhaust fumes during maintenance, testing, or engine diagnostics. Built with high-temperature resistant materials and flexible design, it provides reliable performance in workshops and service bays, protecting both technicians and the environment.



- **High-Temperature Resistance** : Engineered to withstand extreme exhaust heat.
- **Flexible & Lightweight Hose Design**: Easy to maneuver and connect
- **Universal Compatibility**: Fits a wide range of motorcycle exhaust outlets
- **Efficient Fume Removal**: Protects technicians / customers from harmful emissions
- **Durable Construction**: Made with premium, crush-resistant materials
- **Space-Saving Options**: Customizable extraction arms available to optimize floor space.



A – Installation Height B – Hose Length C – Maximum Distance


A, m	B, m	C, m	B, m	C, m	B, m	C, m
2.5	5.0	3.8				
3.0	5.0	3.5	7.5	6.2		
3.5	5.0	3.2	7.5	5.9	10.0	8.5
4.0	5.0	2.7	7.5	5.5	10.0	8.3
4.5	5.0	2.0	7.5	5.2	10.0	8.0
5.0			7.5	4.7	10.0	7.7
5.5					10.0	7.4
6.0					12.5	10.0
6.5					12.5	9.7
7.0					12.5	9.4

Exhaust Extraction System

Drop Vent systems are a simple yet effective solution for eliminating exhaust gases in small bike / cars repair shops and garages. It can be installed with a separate fan or connected to a central ventilation system.



- The exhaust device consists of an extraction hose with a gas intake nozzle which is fixed to the mounting bracket nipple.
- An air extractor is installed directly on the mounting bracket (for DPF models), and a balancer with extraction hose support is suspended from it on a special bracket.
- In the non-operational state, the extraction hose is held by a balancer in the form of a smoothly bending loop, while the free end of the hose with the gas intake nozzle does not touch the floor and does not interfere with the work and passage of personnel.
- When connected to the exhaust pipe of the car, the hose is straightened. When disconnected, the hose returns to its original position with the help of the balancer.



A, m	B, m	C, m	B, m	C, m
2.5	5	4.5		
3	5	4.2	7.5	7.0
3.5	5	3.7	7.5	6.7
4	5	3.1	7.5	6.5
4.5	5	2.3	7.5	6.1
5		7.5	5.7	
5.5		7.5	5.2	
6		7.5	4.6	

VORTEX SERIES

Air Compressor

More Air | Less Power

Air Compressor

THE ULTIMATE GARAGE COMPANION

Designed for professionals who accept nothing less than excellence, our air compressor is your trusted partner in the workshop. Whether you're servicing vehicles or running high-demand pneumatic tools, this machine delivers unwavering performance where it counts.

Engineered with intelligent design and cutting-edge components, it provides consistent air power, long-term reliability, and effortless operation—day in, day out.

Key Highlights

- ✓ High-Performance Output – Built to handle the toughest garage demands
- ✓ Smart Engineering – Compact yet powerful, with optimized airflow efficiency
- ✓ Durable Construction – Designed for longevity under heavy-duty usage
- ✓ Versatile Use – Perfect for automotive work, painting, inflating, and more

Upgrade your garage with the air solution that professionals trust



Available Models		
Vortex 3HP250L	3HP	250 Litres
Vortex 5HP250L	5HP	250 Litres
Vortex 7.5HP250L	7.5HP	250 Litres
Vortex 10HP420L	10HP	420 Litres


CUSTOMISE YOUR COLOUR : **RED** | **BLUE**

HEXA




Pliers & Hammer

IPC 10" Locking Plier | IPC 10" Groove joint plier
IPC 7" Combination Plier | IPC 7" Diagonal plier
IPC 8" Long Nose Plier | IPC 7" Bent outer
IPC 7" Bent internal | IPC 7" Straight outer
IPC 7" Straight | IPC 400g machinist's hammer
IPC 1.5 LB rubber hammer




Combination Wrench Set

22PC Combination Wrench:
6/7/8/9/10/11/12/13/14/15/16/17/18/19/20/21/
22/23/24/27/30/32mm



Screwdriver Set (Insulated)

6PC Screwdriver Slotted (S2)
6PC Screwdriver Phillips
6PC Insulated screwdriver : SL3
7PC Precision Screwdriver (S2)



T Socket Set

10PC T Socket: 6/7/8/10/11/12/13/14/17/19mm

Impact Wrench ½ " / 1"

Engineered for riders who demand stability, strength, and versatility. Whether you're performing tire changes, chain maintenance, or showcasing your bike in a showroom, this stand delivers rock-solid support with effortless operation.





Design Center

HEXA LLC,
McKinney, Texas, 75071, USA.
+1 (970) 689 8409

Operations

113/2b, Ganesh Nagar, Vanur,
Villupuram, Poothurai,
Tamilnadu – 605111, India.
(+91) 96778 12159

The information, graphics, and design contained in this catalogue are the exclusive property of HEXA and are protected by copyright.

Any reproduction, use, or distribution, in whole or in part, is strictly prohibited without written authorization.

Furthermore, HEXA reserves the right to make changes and improvements to product specifications and design at any time without prior notification.